



# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name or designation Fluortek PTFE Grease TP58

of the mixture

Issue date 2018-11-23

Version number 2.1

Revision date 2022-11-29 Supersedes date 2018-11-23

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesLubricationUses advised againstNone known

### 1.3. Details of the supplier of the safety data sheet

Fluortek AB
Rubanksgatan 4
SE-741 71 Knivsta

Sweden

Europe Emergency: 112

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

## Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### Hazard summary

Physical hazards Not classified for physical hazards.

Health hazards Not classified for health hazards.

**Environmental hazards** Not classified for hazards to the environment.

Specific hazards Not available.

**Main symptoms** Direct contact with eyes may cause temporary irritation.

### 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

ContainsSilicone OilHazard pictogramsNone.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

**Prevention** Observe good industrial hygiene practices.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

SDS-TP58-eng Product name: Fluortek PTFE Grease TP58 1(7)





**Response** Wash hands after handling.

P301 + P312§ IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority

requirements.

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

Supplemental label information 99 % of the mixture consists of component(s) of unknown acute oral

toxicity.

Additional information Comply to the REACH EU 2017/1000 (PFOA< 25 ppb)

**2.3. Other hazards** None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **General information**

Chemical name	CAS No.	EC No.	<u> W%</u>
Silicone oil	63148-62-9	613-156-5	57%
Polytetrafluorethylene	9002-84-0	618-337-2	43%

All components meet the requirements according to CFR 178.3750 and CFR 177.1550 in accordance with the US Federal Drug and Cosmetic Act regulations governing lubricants with incidental food contact.

### List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16

# **SECTION 4: First aid measures**

General information Not available

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops

and persists.

**Eye contact**Rinse with water. Get medical attention if irritation develops and persists. **Ingestion**Rinse mouth. Do not induce vomiting. Get medical attention if symptoms

occur. Never give liquid to an unconscious person.

# 4.2. Most important symptoms and effects, both acute and delayed

Direct contact with eyes may cause temporary irritation.

SDS-TP58-eng Product name: Fluortek PTFE Grease TP58 2(7)





### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

# **SECTION 5: Firefighting measures**

General fire hazards Not available

5.1. Extinguishing media

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2)
Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire

### 5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed

5.3. Advice for firefighters

Special protective equipment for firefighters Wear suitable protective equipment. Self-contained breathing apparatus

and full protective clothing must be worn in case of fire.

Special fire fighting procedures Not available.

Specific methods Use standard firefighting procedures and consider the hazards of other

involved materials.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of

spill/leak. Wear appropriate protective equipment and clothing during cleanup. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see

section 8.

For emergency responders Not available.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases

### 6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with

plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

contamination. Never return spills to original containers for re-use.

# 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

SDS-TP58-eng Product name: Fluortek PTFE Grease TP58 3(7)





### 7.3. Specific end use(s)

Not available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Occupational exposure limits 
No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines Occupational Exposure Limits are not relevant to the current physical form

of the product.

### 8.2. Exposure controls

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking.

Routinely wash work clothing and protective equipment to remove

contaminants.

Environmental exposure controls Inform appropriate managerial or supervisory personnel of all

environmental releases.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

#### **Appearance**

Physical state Paste.
Colour White.

Odour Not available.
Odour threshold Not available.
pH Not available.
Melting point/freezing point Not available.

SDS-TP58-eng Product name: Fluortek PTFE Grease TP58 4(7)





Initial boiling point and boiling range Not available.

Flash point >280°C (closed cup)

Evaporation rate Not available. Flammability (solid, gas) Not available.

### Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Flammability limit - upper (%)

Vapour pressure

Not available.

Not available.

Density

1450 kg/m³

Vapour density

Not available.

Relative density

Not available.

Solubility(ies)

Solubility (water) None
Solubility (other) Oil

Partition coefficient (n-octanol/water)

Auto-ignition temperature

>400°C.

Decomposition temperature

>260°C.

Viscosity 1000 cSt ASTM D445 (Base Oil)

Viscosity temperature 25 °C (77 °F)
Explosive properties Not available.

Oxidizing properties Not available.

9.2. Other information

Specific gravity 1,45

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Strong oxidising agents. The product is stable and non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Material is stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

Contact with incompatible materials.

### 10.5. Incompatible materials

Strong oxidising agents.

## 10.6. Hazardous decomposition products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide. No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

General information Occupational exposure to the substance or mixture may cause adverse

effects.

SDS-TP58-eng Product name: Fluortek PTFE Grease TP58 5(7)





### Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a

primary route of occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

#### 11.1. Information on toxicological effects

Acute toxicity No data available.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation Not applicable.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance information No information available.

Other information Not available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## 12.2. Persistence and degradability

No data is available on the degradability of this product.

#### 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

Not available.

#### 12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners

may retain some product residues. This material and its container must be

disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for

SDS-TP58-eng Product name: Fluortek PTFE Grease TP58 6(7)





recycling or disposal. Since emptied containers may retain product residue,

follow label warnings even after container is emptied.

EU waste code The Waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste

disposal site. Special precautions Dispose in accordance with all applicable

regulations.

# **SECTION 14: Transport information**

ADR Not regulated as dangerous goods.

RID Not regulated as dangerous goods.

ADN Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG Not regulated as dangerous goods.

### 14.7. Transport in bulk. according to Annex II of Marpol and the IBC Code

Not established

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Authorisations Restrictions on use

Other regulations The product is classified and labelled in accordance with EC directives or

respective national laws This Safety Data Sheet complies with the

requirements of Regulation (EC) No 1907/2006.

National regulations Follow national regulation for work with chemical agents.

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

List of abbreviations Not available.

References Not available.

Information on evaluation method leading 
The classification for health and environmental hazards is derived by a

to the classification of mixture combination of calculation methods and test data, if available.

Fluortek AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

SDS-TP58-eng Product name: Fluortek PTFE Grease TP58 7(7)